

## List of the Plants Subject to Growing Site Inspection in Exporting Countries (The Annexed Table 1-2 of the amended Enforcement Ordinance of the Plant Protection Law)

To be enforced from March 7, 2012

Districts.	Plants	Quarantine Pests
1. Turkey, Netherlands, Belgium, Portugal, Republic of South Africa, United States of America(excluding Hawaiian Islands, hereinafter referred to as "United States of America"), Argentina	Underground portions of the live plant of black salsify, sugar beet, carrot and potato being capable of planting for cultivation.	Columbia root-knot nematode ( <i>Meloidogyne chitwoodi</i> )
2. Korea, Pakistan, Israel, Iraq, Iran, Turkey, Jordan, Ireland, Azerbaijan, Albania, Armenia, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland, hereinafter referred to as "United Kingdom"), Estonia, Austria, Netherlands, Kazakhstan, Greece, Kyrgyz, Georgia, Croatia, Kosovo, Switzerland, Sweden, Spain, Slovak, Slovenia, Serbia, Tajikistan, Czech, Denmark, Germany, Turkmenistan, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Poland, Bosnia and Herzegovina, Former Yugoslav Republic of Macedonia, Moldova, Montenegro, Latvia, Lithuania, Romania, Russia, Cape Verde, Canary Islands, Gambia, Senegal, Republic of South Africa, United States of America, Canada, Chile, Peru, Mexico, Australia, New Zealand	Underground portions of the live plant of garden rhubarb, and plants of the genera <i>Brassica</i> and <i>Beta</i> being capable of planting for cultivation.	Sugar beet nematode ( <i>Heterodera schachtii</i> )
3. Netherlands, France, Belgium, Australia, New Zealand	Underground portions of the live plant of asparagus, strawberry, black salsify, tomato and potato being capable of planting for cultivation.	False Columbia root-knot nematode ( <i>Meloidogyne fallax</i> )
4. India, Azerbaijan, Armenia, Ukraine, Uzbekistan, United Kingdom, Estonia, Netherlands, Kazakhstan, Kyrgyz, Georgia, Tajikistan, Turkmenistan, Finland, Belarus, Moldova, Latvia, Lithuania, Russia, United States of America, Argentina, Ecuador, Chile, Peru, Bolivia, Mexico	Underground portions of the live plant of <i>Opuntia tortispina</i> , <i>Opuntia fragilis</i> , tomato, potato and <i>Mammillaria vivipara</i> , and plants of the genus <i>Beta</i> being capable of planting for cultivation.	False root-knot nematode ( <i>Nacobbus aberrans</i> )
5. India, Indonesia, Singapore, Sri Lanka, Thailand, Pakistan, Philippines, Malaysia, Oman, United Kingdom, Netherlands, Denmark, Germany, France, Belgium, Poland, Uganda, Egypt, Ethiopia, Ghana, Gabon, Cameroon, Guinea, Kenya, Republic of Cote d'Ivoire, the Democratic Republic of the Congo, Zambia, Zimbabwe, Sudan, Senegal, Somalia, Tanzania, Nigeria, Madagascar, Malawi, Republic of South Africa, Mozambique, Reunion, United States of America, Canada, Ecuador, El Salvador, Cuba, Guatemala	Underground portions of the live plant of avocado, turmeric, okra, cockscomb, coconut, <i>Colocasia esculenta</i> , sugarcane, ginger, <i>Canna edulis</i> , greater yam, tea, corn, potato, betel palm, peanut (excluding seeds without pod), and plants of the genera <i>Anthurium</i> , <i>Calathea</i> , <i>Maranta</i> , <i>Coffea</i> , <i>Piper</i> , <i>Musa</i> , <i>Philodendron</i> and <i>Beta</i> being capable of planting for cultivation.	Banana burrowing nematode ( <i>Radopholus similis</i> )

<p>Guadeloupe Island, Grenada, Costa Rica, Colombia, Jamaica, Suriname, Saint Vincent, Saint Lucia, Dominican Republic, Dominica, Trinidad and Tobago, Nicaragua, Panama, Puerto Rico, Brazil, Venezuela, Belize, Peru, Martinique Island, Mexico, Australia, Samoa, Tonga, Papua New Guinea, Hawaiian Islands, Fiji</p>		
<p>6. India, Taiwan, China(excluding Hong Kong, hereinafter referred to as "China"), Azerbaijan, Armenia, Italy, Ukraine, Uzbekistan, United Kingdom, Estonia, Netherlands, Kazakhstan, Kyrgyz, Georgia, Slovak, Tajikistan, Czech, Denmark, Germany, Turkmenistan, Hungary, France, Belarus, Belgium, Poland, Moldova, Latvia, Lithuania, Romania, Russia, Morocco, United States of America, Canada, Argentina, Brazil, Australia, New Zealand, Hawaiian Islands</p>	<p>Pea seeds intended for planting.</p>	<p>Near-wilt of pea (<i>Fusarium oxysporum</i> f. sp. <i>lisi</i>)</p>
<p>7. New Zealand, United Kingdom</p>	<p>Live plants and plant parts (excluding seed and fruit) of <i>Hedera helix</i> (ivy), <i>Ilex aquifolium</i>, <i>Prunus laurocerasus</i> (cherry laurel), and plants of the genera <i>Drimys</i>, <i>Fagus</i>, <i>Gevuina</i>, <i>Liriodendron</i>, <i>Magnolia</i>, <i>Michelia</i>, <i>Pieris</i>, <i>Quercus</i> and <i>Rhododendron</i> for planting.</p>	<p><i>Phytophthora kernoviae</i></p>
<p>8. Belgium, Canada, Channel Islands, Denmark, France, Germany, Ireland, Italy, Netherlands, Norway, Poland, Slovenia, Spain, Sweden, Switzerland, United Kingdom, United States of America</p>	<p>Live plants and plant parts (excluding seed and fruit) of <i>Cercis chinensis</i> (Chinese redbud), <i>Choisya ternata</i> (Mexican orange), <i>Corylopsis spicata</i> (Spike witch hazel), <i>Daphniphyllum glaucescens</i> (<i>D. teijsmannii</i>), <i>Garrya elliptica</i> (Silk-tassel Bush), <i>Mahonia aquifolium</i> (<i>Berberis diversifolia</i>, oregon grape), <i>Physocarpus opulifolius</i> (Ninebark), and plants of the genera <i>Abies</i>, <i>Acer</i>, <i>Adiantum</i>, <i>Aesculus</i>, <i>Alnus</i>, <i>Andromeda</i>, <i>Annona</i>, <i>Arbutus</i>, <i>Arctostaphylos</i>, <i>Ardisia</i>, <i>Betula</i>, <i>Calluna</i>, <i>Calycanthus</i>, <i>Camellia</i>, <i>Carpinus</i>, <i>Castanea</i>, <i>Castanopsis</i>, <i>Ceanothus</i>, <i>Ceratonia</i>, <i>Chamaecyparis</i>, <i>Chimaphila</i>, <i>Cinnamomum</i>, <i>Cistus</i>, <i>Clematis</i>, <i>Clintonia</i>, <i>Cornus</i>, <i>Corylus</i>, <i>Distylium</i>, <i>Drimys</i>, <i>Dryopteris</i>, <i>Empetrum</i>, <i>Erica</i>, <i>Eucalyptus</i>, <i>Euonymus</i>, <i>Fagus</i>, <i>Frangula</i> (<i>Rhamnus</i>), <i>Fraxinus</i>, <i>Fuchsia</i>, <i>Gaultheria</i>, <i>Gevuina</i>, <i>Griselinia</i>, <i>Hamamelis</i>, <i>Hedera</i>, <i>Heteromeles</i>, <i>Ilex</i>, <i>Kalmia</i>, <i>Laurus</i>, <i>Leucothoe</i>, <i>Linnaea</i>, <i>Liriodendron</i>, <i>Lithocarpus</i>, <i>Lonicera</i>, <i>Loropetalum</i>, <i>Magnolia</i>, <i>Maianthemum</i>, <i>Malus</i>, <i>Manglietia</i>, <i>Michelia</i>, <i>Nerium</i>, <i>Nothofagus</i>, <i>Olea</i>, <i>Osmanthus</i>, <i>Osmorhiza</i>, <i>Parakmeria</i>, <i>Parrotia</i>, <i>Photinia</i>, <i>Picea</i>, <i>Pieris</i>, <i>Pinus</i>, <i>Pistacia</i>, <i>Pittosporum</i>, <i>Populus</i>, <i>Prunus</i>, <i>Pseudotsuga</i>, <i>Pyracantha</i>, <i>Quercus</i> (<i>Cyclobalanopsis</i>), <i>Rhododendron</i>, <i>Ribes</i>, <i>Rosa</i>, <i>Rubus</i>, <i>Salix</i>, <i>Sambucus</i>, <i>Schima</i>, <i>Sequoia</i>, <i>Smilax</i>, <i>Symphoricarpus</i>, <i>Syringa</i>, <i>Taxus</i>, <i>Tilia</i>, <i>Torreya</i>, <i>Toxicodendron</i>(<i>Rhus</i>), <i>Trientalis</i>, <i>Tsuga</i>, <i>Ulmus</i>, <i>Umbellularia</i>, <i>Vaccinium</i>, <i>Vancouveria</i>, <i>Viburnum</i> and <i>Zenobia</i> for planting.</p>	<p><i>Phytophthora ramorum</i></p>
<p>a</p>		

Turkey, Azerbaijan, Armenia, Ukraine, Uzbekistan, Estonia, Kazakhstan, Greece, Kyrgyz, Georgia, Croatia, Kosovo, Spain, Slovenia, Serbia, Tajikistan, Turkmenistan, Hungary, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Former Yugoslav Republic of Macedonia, Moldova, Montenegro, Latvia, Lithuania, Romania, Russia, Tunisia, Mauritius, United States of America, Canada, Colombia, Brazil, Venezuela, Mexico, Australia	Kidney bean seeds intended for planting.	Bacterial wilt of beans ( <i>Curtobacterium flaccumfaciens</i> pv. <i>flaccumfaciens</i> )
10. Thailand, Taiwan, China, Israel, Turkey, Greece, Hungary, Republic of South Africa, United States of America, Costa Rica, Brazil, Australia, Northern Mariana Islands, Guam	Seeds of watermelon, wax gourd and melon intended for planting.	Bacterial fruit blotch ( <i>Acidovorax avenae</i> subsp. <i>citrulli</i> )
11. Thailand, China, Viet Nam, Malaysia, Italy, Poland, Romania, United States of America, Canada, Guyana, Costa Rica, Puerto Rico, Peru, Mexico	Teosinte and Corn seeds intended for planting.	Stewart's bacterial wilt ( <i>Erwinia stewartii</i> )
12. United States of America	Corn seeds intended for planting.	Goss's bacterial wilt and blight ( <i>Clavibacter michiganensis</i> subsp. <i>nebraskensis</i> )
13. China, Iran, Syria, Turkey, Jordan, Lebanon, Italy, United Kingdom, Austria, Slovakia, Germany, Hungary, Poland, Egypt, Ethiopia, Sudan, Tunisia, Morocco, Libyan Arab Jamahiriya, Australia	Broad bean and lentil seeds intended for planting.	<i>Broad bean stain virus</i>
14. China, Syria, Lebanon, Italy, United Kingdom, Austria, Germany, Hungary, Poland, Egypt, Ethiopia, Sudan, Tunisia, Morocco, Australia	Broad bean seeds intended for planting.	<i>Broad bean true mosaic virus</i>
15. Albania, Argentina, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Canada, Chile, China, Croatia, Cyprus, Czech Republic, Egypt, France, Germany, Greece, Hungary, India, Iran, Italy, Jordan, Kazakhstan, Lithuania, Luxembourg, Montenegro, Netherlands, Norway, Pakistan, Poland, Portugal, Republic of Romania, Moldova, Russian Federation, Serbia, Slovakia, Slovenia, Spain, Switzerland, Syrian Arab Republic, Turkey, Ukraine, United Kingdom, United States of America	Live plants and plant parts (excluding seed and fruit) of <i>Euonymus europaeus</i> , <i>Ligustrum vulgare</i> , <i>Lycium barbarum</i> and plants of the genera <i>Prunus</i> being capable of planting for cultivation.	<i>Plum pox virus</i>
16. Afghanistan, Belarus, Belgium, Bolivarian Republic of Venezuela, Chile, China, Costa Rica, Egypt, France, Germany, India, Israel, Italy, Netherlands, New Zealand, Nigeria, Peru, Poland, Russian Federation, Turkey, Ukraine, United Kingdom, United States of America	<i>Solanum tuberosum</i> (potato) and <i>Lycopersicon esculentum</i> (tomato) seeds intended for planting, and live plants and plant parts (excluding seed and fruit) of <i>Solanum tuberosum</i> (potato) and <i>Lycopersicon esculentum</i> (tomato) being capable of planting for cultivation.	<i>Potato spindle tuber viroid</i>

